

2011 WERS Certified Products Directory - AFRC

NOTES

1. Uw is the whole window U-value
2. SHGCw is the whole window solar heat gain coefficient
3. Tvw is the whole window visible (light) transmittance
4. Percentage improvement figures are compared with using base-case Generic Window 1 (3mm clear in standard aluminium frame)
5. A negative percentage improvement figure indicates performance worse than the base-case window
6. A positive percentage improvement figure indicates performance better than the base-case window
7. Maximum air infiltration is 5.0L/s.m² at a positive pressure difference of 75 Pa as measured according to AS 2047
8. Static performance (Uw SHGCw Tvw Tdw) calculated using Window 5.2 and Therm 5.2 software (LBNL), 2000-2003
9. Annual energy performance (stars and % improvements) calculated using Nationwide House Energy Rating Software (AccuRate) according to procedures of WERS 2008.
10. Results disclosed at National Fenestration Rating Council (NFRC) regulations.



| Performance Windows | | | | | | Cool % | Heat % | Total Window - NFRC | | | |
|--|--------------------------|---------------|---------------|-----|------|--------|--------|---------------------|----------|--|--|
| Window ID | Glazing | Cooling Stars | Heating Stars | Uw | SHGC | | | Tvw | Air Inf. | | |
| Aluminium Residential Sliding Window - Single Glazed | | | | | | | | | | | |
| WID-006-01 | 4Clr | ☆ | ☆☆☆ | 11% | 15% | 6.4 | 0.74 | 0.77 | 3.25 | | |
| WID-006-02 | 5EG | ☆☆ | ☆☆ | 32% | 5% | 6.4 | 0.51 | 0.63 | 3.25 | | |
| WID-006-03 | 5Gy | ☆☆☆ | ☆☆ | 30% | 7% | 6.4 | 0.54 | 0.43 | 3.25 | | |
| WID-006-04 | 6.38CP | ☆☆☆☆ | ☆☆☆☆ | 46% | 27% | 4.5 | 0.45 | 0.51 | 3.25 | | |
| WID-006-05 | 6Sn | ☆☆☆☆☆ | ☆☆ | 54% | 1% | 5.6 | 0.25 | 0.13 | 3.25 | | |
| WID-006-06 | 6SnGn | ☆☆☆☆ | ☆☆☆ | 48% | 18% | 4.9 | 0.39 | 0.48 | 3.25 | | |
| WID-006-07 | 6SnAz | ☆☆☆☆ | ☆☆☆ | 49% | 17% | 4.9 | 0.37 | 0.48 | 3.25 | | |
| WID-006-13 | 6CS | ☆☆ | ☆☆☆☆ | 33% | 35% | 4.5 | 0.62 | 0.71 | 3.25 | | |
| WID-006-14 | 6CS Ntrl | ☆☆☆☆ | ☆☆☆☆ | 45% | 28% | 4.5 | 0.46 | 0.52 | 3.25 | | |

| Aluminium Residential Sliding Window - Double Glazed | | | | | | | | | |
|--|----------------------------|-------|-------|-----|-----|-----|------|------|------|
| WID-006-08 | 3/6/3 | ★★ | ★★★★ | 33% | 36% | 4.4 | 0.61 | 0.64 | 3.25 |
| WID-006-09 | 3/6/4EA | ★★☆ | ★★★★ | 40% | 39% | 4.0 | 0.56 | 0.58 | 3.25 |
| WID-006-10 | 4EG/6/3 | ★★★☆☆ | ★★★ | 51% | 24% | 4.4 | 0.38 | 0.53 | 3.25 |
| WID-006-11 | 4EG/6/4EA | ★★★★ | ★★★ | 56% | 27% | 4.0 | 0.34 | 0.48 | 3.25 |
| WID-006-12 | 4SGy/6/4A | ★★★☆☆ | ★★★★☆ | 52% | 30% | 4.0 | 0.40 | 0.36 | 3.25 |
| Aluminium Residential Awning Window - Single Glazed | | | | | | | | | |
| WID-001-01 | 3 Clr | ★ | ★★★★☆ | 21% | 31% | 6.6 | 0.63 | 0.63 | 0.06 |
| WID-001-02 | 5EG | ★★ | ★★★ | 37% | 22% | 6.5 | 0.44 | 0.51 | 0.06 |
| WID-001-03 | 5Gy | ★★ | ★★★ | 35% | 23% | 6.5 | 0.46 | 0.35 | 0.06 |
| WID-001-04 | 6.38CP | ★★★ | ★★★★ | 47% | 39% | 5.1 | 0.39 | 0.41 | 0.06 |
| WID-001-05 | 6Sn | ★★☆☆ | ★★★★★ | 42% | 38% | 5.4 | 0.45 | 0.47 | 0.06 |
| WID-001-06 | 6SnGn | ★★★ | ★★★★☆ | 49% | 32% | 5.4 | 0.34 | 0.39 | 0.06 |
| WID-001-07 | 6SnAz | ★★★☆☆ | ★★★★☆ | 50% | 31% | 5.4 | 0.33 | 0.39 | 0.06 |
| WID-001-13 | 6CS | ★★☆☆ | ★★★★★ | 39% | 49% | 4.8 | 0.52 | 0.57 | 0.06 |
| WID-001-14 | 6CS Ntrl | ★★★ | ★★★★☆ | 48% | 42% | 4.9 | 0.40 | 0.42 | 0.06 |
| Aluminium Residential Awning Window - Double Glazed | | | | | | | | | |
| WID-001-08 | 3/6/3 | ★★☆☆ | ★★★★★ | 40% | 49% | 4.8 | 0.51 | 0.51 | 0.06 |
| WID-001-09 | 3/6/4EA | ★★★ | ★★★★★ | 45% | 51% | 4.5 | 0.47 | 0.47 | 0.06 |
| WID-001-10 | 4EG/6/3 | ★★★☆☆ | ★★★★ | 53% | 39% | 4.8 | 0.33 | 0.42 | 0.06 |
| WID-001-11 | 4EG/6/4EA | ★★★★ | ★★★★☆ | 57% | 41% | 4.5 | 0.30 | 0.39 | 0.06 |
| WID-001-12 | 4SGy/6/4EA | ★☆☆ | ★★★★☆ | 30% | 29% | 6.4 | 0.54 | 0.50 | 0.06 |
| WID-001-15 | 6.36SxBG | ★☆☆ | ★★★★☆ | 30% | 29% | 6.4 | 0.54 | 0.50 | 0.06 |
| Aluminium Residential Double Hung Window - Single Glazed | | | | | | | | | |
| WID-003-01 | 3 Clr | ☆☆ | ★★☆ | 12% | 19% | 6.3 | 0.74 | 0.76 | 1.48 |

| | | | | | | | | | |
|---|--------------------------|---------|-----------|-----|-----|-----|------|------|------|
| WID-003-013 | 6CS | ★ ★ | ★ ★ ★ ★ | 34% | 37% | 4.5 | 0.60 | 0.69 | 1.48 |
| WID-003-014 | 6CS Ntrl | ★ ★ ★ | ★ ★ ★ ☆ | 45% | 28% | 4.5 | 0.46 | 0.51 | 1.48 |
| WID-003-02 | 5EG | ★ ★ | ★ ★ | 34% | 9% | 6.2 | 0.50 | 0.62 | 1.48 |
| WID-003-03 | 5Gy | ★ ★ | ★ ★ | 32% | 11% | 6.2 | 0.53 | 0.42 | 1.48 |
| WID-003-04 | 6.38CP | ★ ★ ★ | ★ ★ ★ ☆ | 47% | 30% | 4.3 | 0.44 | 0.50 | 1.48 |
| WID-003-05 | 6Sn | ★ ★ ☆ | ★ ★ ★ ☆ | 40% | 29% | 4.7 | 0.51 | 0.57 | 1.48 |
| WID-003-06 | 6SnGn | ★ ★ ★ | ★ ★ ★ | 50% | 22% | 4.7 | 0.38 | 0.47 | 1.48 |
| WID-003-07 | 6SnAz | ★ ★ ★ ☆ | ★ ★ ☆ | 51% | 21% | 4.7 | 0.36 | 0.47 | 1.48 |
| Aluminium Residential Internal Sliding Door - Single Glazed | | | | | | | | | |
| WID-005-01 | 4Clr | ☆ | ★ ★ ☆ | 14% | 19% | 6.3 | 0.72 | 0.75 | 0.32 |
| WID-005-02 | 5EG | ★ ★ | ★ ★ | 35% | 9% | 6.2 | 0.49 | 0.61 | 0.32 |
| WID-005-03 | 5Gy | ★ ★ | ★ ★ | 32% | 11% | 6.2 | 0.52 | 0.42 | 0.32 |
| WID-005-04 | 6.38CP | ★ ★ ★ | ★ ★ ★ ☆ | 48% | 31% | 4.4 | 0.43 | 0.49 | 0.32 |
| WID-005-05 | 6Sn | ★ ★ ☆ | ★ ★ ★ ☆ | 41% | 29% | 4.8 | 0.50 | 0.57 | 0.32 |
| WID-005-06 | 6SnGn | ★ ★ ★ ☆ | ★ ★ ★ | 50% | 22% | 4.8 | 0.37 | 0.47 | 0.32 |
| WID-005-07 | 6SnAz | ★ ★ ★ ☆ | ★ ★ ☆ | 52% | 21% | 4.8 | 0.35 | 0.47 | 0.32 |
| WID-005-13 | 6CS | ★ ★ | ★ ★ ★ ★ | 34% | 35% | 4.7 | 0.60 | 0.69 | 0.32 |
| WID-005-14 | 6CS Ntrl | ★ ★ ★ | ★ ★ ☆ | 47% | 21% | 5.0 | 0.40 | 0.44 | 0.32 |
| Aluminium Residential Internal Sliding Door - Double Glazed | | | | | | | | | |
| WID-005-15 | 4/6/4 | ★ ★ | ★ ★ ★ ★ ☆ | 33% | 43% | 4.2 | 0.64 | 0.68 | 0.32 |
| WID-005-16 | 4/6/4ET | ★ ★ | ★ ★ ★ ★ ☆ | 38% | 47% | 3.7 | 0.60 | 0.64 | 0.32 |
| WID-005-17 | 5/6/5 | ★ ★ | ★ ★ ★ ★ ☆ | 35% | 42% | 4.1 | 0.61 | 0.67 | 0.32 |
| WID-005-18 | 5/6/5ET | ★ ★ ☆ | ★ ★ ★ ★ ☆ | 41% | 46% | 3.7 | 0.57 | 0.62 | 0.32 |
| WID-005-19 | 4/12/4 | ★ ★ | ★ ★ ★ ★ ☆ | 34% | 47% | 3.8 | 0.64 | 0.68 | 0.32 |
| WID-005-20 | 4/12/4ET | ★ ★ ☆ | ★ ★ ★ ★ ★ | 40% | 53% | 3.2 | 0.61 | 0.64 | 0.32 |

| | | | | | | | | | |
|--|-------------------------------|---------|-----------|-----|-----|-----|------|------|------|
| WID-005-21 | 6/6/6.38CPNtl | ★ ★ ★ ☆ | ★ ★ ★ ★ ☆ | 52% | 43% | 3.4 | 0.44 | 0.44 | 0.32 |
| Aluminium Residential Bi-fold Door - Single Glazed | | | | | | | | | |
| WID-002-01 | 4Clr | ★ ☆ | ★ ★ ☆ | 24% | 17% | 6.1 | 0.62 | 0.64 | 0.47 |
| WID-002-02 | 5EG | ★ ★ ☆ | ★ ★ | 40% | 8% | 6.1 | 0.43 | 0.52 | 0.47 |
| WID-002-03 | 5Gy | ★ ★ | ★ ★ | 38% | 9% | 6.1 | 0.46 | 0.36 | 0.47 |
| WID-002-04 | 6.38CP | ★ ★ ★ ☆ | ★ ★ ★ | 51% | 26% | 4.5 | 0.38 | 0.42 | 0.47 |
| WID-002-05 | 6Sn | ★ ★ ★ | ★ ★ ★ | 45% | 25% | 4.9 | 0.44 | 0.48 | 0.47 |
| WID-002-06 | 6SnGn | ★ ★ ★ ☆ | ★ ★ ☆ | 54% | 17% | 4.9 | 0.31 | 0.40 | 0.47 |
| WID-002-07 | 6SnAz | ★ ★ ★ ☆ | ★ ★ ☆ | 53% | 18% | 4.9 | 0.33 | 0.40 | 0.47 |
| WID-002-13 | 6CS | ★ ★ ☆ | ★ ★ ★ ☆ | 39% | 30% | 4.8 | 0.52 | 0.58 | 0.47 |
| WID-002-14 | 6CS Ntrl | ★ ★ ★ | ★ ★ ★ | 48% | 23% | 4.8 | 0.39 | 0.43 | 0.47 |
| Aluminium Residential Bi-fold Door - Double Glazed | | | | | | | | | |
| WID-002-08 | 4/6/4 | ★ ★ ☆ | ★ ★ ★ ☆ | 41% | 31% | 4.6 | 0.51 | 0.53 | 0.47 |
| WID-002-09 | 4/6/4EA | ★ ★ ★ | ★ ★ ★ ☆ | 46% | 34% | 4.3 | 0.47 | 0.48 | 0.47 |
| WID-002-10 | 4EG/6/4 | ★ ★ ★ ☆ | ★ ★ ★ | 50% | 24% | 4.6 | 0.38 | 0.33 | 0.47 |
| WID-002-11 | 4SGy/6/4 | ★ ★ ★ ☆ | ★ ★ ☆ | 54% | 21% | 4.6 | 0.33 | 0.44 | 0.47 |
| WID-002-12 | 4EG/6/4EA | ★ ★ ★ ★ | ★ ★ ★ | 58% | 24% | 4.3 | 0.30 | 0.40 | 0.47 |
| Aluminium Residential Entry Frame / Door - Single Glazed | | | | | | | | | |
| WID-004-01 | 4Clr | ★ ☆ | ★ ★ ☆ | 27% | 18% | 5.9 | 0.60 | 0.62 | 1.97 |
| WID-004-02 | 5EG | ★ ★ ☆ | ★ ★ | 42% | 8% | 5.9 | 0.41 | 0.51 | 1.97 |
| WID-004-03 | 5Gy | ★ ★ ☆ | ★ ★ | 40% | 10% | 5.9 | 0.44 | 0.35 | 1.97 |
| WID-004-04 | 6.38CP | ★ ★ ★ ☆ | ★ ★ ★ | 53% | 25% | 4.3 | 0.37 | 0.41 | 1.97 |
| WID-004-05 | 6Sn | ★ ★ ★ | ★ ★ ★ | 47% | 25% | 4.7 | 0.42 | 0.47 | 1.97 |
| WID-004-06 | 6SnGn | ★ ★ ★ ☆ | ★ ★ ☆ | 54% | 18% | 4.7 | 0.31 | 0.39 | 1.97 |
| WID-004-07 | 6SnAz | ★ ★ ★ ★ | ★ ★ ☆ | 55% | 17% | 4.7 | 0.30 | 0.39 | 1.97 |

| | | | | | | | | | |
|--|---------------------------|---------|---------|-----|-----|-----|------|------|------|
| WID-004-13 | 6CS | ★ ★ ☆ | ★ ★ ★ ☆ | 42% | 30% | 4.6 | 0.50 | 0.57 | 1.97 |
| WID-004-14 | 6CS Ntrl | ★ ★ ★ ☆ | ★ ★ ★ | 50% | 23% | 4.6 | 0.38 | 0.42 | 1.97 |
| Aluminium Residential Entry Frame / Door - Double Glazed | | | | | | | | | |
| WID-004-08 | 4/6/4 | ★ ★ ☆ | ★ ★ ★ ☆ | 43% | 31% | 4.4 | 0.49 | 0.51 | 1.97 |
| WID-004-09 | 4/6/4EA | ★ ★ ★ | ★ ★ ★ ☆ | 48% | 33% | 4.1 | 0.45 | 0.47 | 1.97 |
| WID-004-10 | 4EG/6/4 | ★ ★ ★ ★ | ★ ★ ☆ | 56% | 21% | 4.4 | 0.31 | 0.42 | 1.97 |
| WID-004-11 | 4SGy/6/4 | ★ ★ ★ ☆ | ★ ★ ★ | 52% | 24% | 4.4 | 0.36 | 0.32 | 1.97 |
| WID-004-12 | 4EG/6/4EA | ★ ★ ★ ★ | ★ ★ ★ | 59% | 23% | 4.1 | 0.28 | 0.39 | 1.97 |
| Aluminium Architectural Paragon Entry Door Open In - Single Glazed | | | | | | | | | |
| WID-007-01 | 5Clr | ★ ☆ | ★ ★ ☆ | 31% | 18% | 5.9 | 0.56 | 0.58 | 0.57 |
| WID-007-02 | 5Gy | ★ ★ ☆ | ★ ★ | 43% | 9% | 5.9 | 0.39 | 0.48 | 0.57 |
| WID-007-03 | 5EG | ★ ★ ☆ | ★ ★ | 42% | 10% | 5.9 | 0.42 | 0.33 | 0.57 |
| WID-007-04 | 6.38CP | ★ ★ ★ ☆ | ★ ★ ★ | 53% | 25% | 4.4 | 0.35 | 0.38 | 0.57 |
| WID-007-13 | 6CS | ★ ★ ☆ | ★ ★ ★ ☆ | 43% | 29% | 4.7 | 0.48 | 0.53 | 0.57 |
| WID-007-14 | 6CS Ntrl | ★ ★ ★ ☆ | ★ ★ ★ | 51% | 22% | 4.7 | 0.36 | 0.39 | 0.57 |
| Aluminium Architectural Paragon Entry Door Open In - Double Glazed | | | | | | | | | |
| WID-007-05 | 4/6/4 | ★ ★ ☆ | ★ ★ ★ ☆ | 44% | 35% | 4.3 | 0.50 | 0.52 | 0.57 |
| WID-007-06 | 4/6/4EA | ★ ★ ★ | ★ ★ ★ ★ | 48% | 37% | 3.9 | 0.46 | 0.48 | 0.57 |
| WID-007-07 | 5/6/5 | ★ ★ ★ | ★ ★ ★ ☆ | 45% | 34% | 4.3 | 0.48 | 0.51 | 0.57 |
| WID-007-08 | 5/6/5EA | ★ ★ ★ | ★ ★ ★ ★ | 49% | 37% | 3.9 | 0.45 | 0.48 | 0.57 |
| WID-007-09 | 4/12/4 | ★ ★ ★ | ★ ★ ★ ★ | 46% | 36% | 4.1 | 0.48 | 0.50 | 0.57 |
| WID-007-10 | 4/12/4EA | ★ ★ ★ ☆ | ★ ★ ★ ★ | 50% | 40% | 3.6 | 0.45 | 0.46 | 0.57 |
| WID-007-11 | 5/12/5 | ★ ★ ★ | ★ ★ ★ ★ | 47% | 36% | 4.1 | 0.47 | 0.49 | 0.57 |
| WID-007-12 | 5/12/5EA | ★ ★ ★ ☆ | ★ ★ ★ ★ | 51% | 40% | 3.6 | 0.44 | 0.46 | 0.57 |
| Aluminium Architectural Paragon Awning Window - Single Glazed | | | | | | | | | |

| | | | | | | | | | |
|---|--------------------------|---------|-------------|-----|-----|-----|------|------|------|
| WID-009-01 | 5Clr | ★ ☆ | ★ ★ ☆ | 31% | 17% | 7.1 | 0.49 | 0.47 | 0.30 |
| WID-009-02 | 5Gy | ★ ★ ☆ | ★ ★ ☆ | 40% | 10% | 7.1 | 0.36 | 0.39 | 0.30 |
| WID-009-03 | 5EG | ★ ★ ☆ | ★ ★ ☆ | 39% | 11% | 7.1 | 0.38 | 0.27 | 0.30 |
| WID-009-04 | 6.38CP | ★ ★ ★ | ★ ★ ★ | 47% | 23% | 6.0 | 0.33 | 0.31 | 0.30 |
| WID-009-13 | 6CS | ★ ★ ☆ | ★ ★ ★ ☆ | 42% | 33% | 5.7 | 0.42 | 0.44 | 0.30 |
| WID-009-14 | 6CS Ntrl | ★ ★ ★ | ★ ★ ★ ☆ | 49% | 27% | 5.7 | 0.33 | 0.32 | 0.30 |
| Aluminium Architectural Paragon Awning Window - Double Glazed | | | | | | | | | |
| WID-009-05 | 4/6/4 | ★ ★ ☆ | ★ ★ ★ ★ ★ ☆ | 39% | 55% | 4.4 | 0.55 | 0.57 | 0.30 |
| WID-009-06 | 4/6/4EA | ★ ★ ☆ | ★ ★ ★ ★ ★ ☆ | 44% | 58% | 4.0 | 0.51 | 0.52 | 0.30 |
| WID-009-07 | 5/6/5 | ★ ★ ☆ | ★ ★ ★ ★ ★ ☆ | 40% | 55% | 4.4 | 0.53 | 0.56 | 0.30 |
| WID-009-08 | 5/6/5EA | ★ ★ ★ | ★ ★ ★ ★ ★ ☆ | 45% | 58% | 4.0 | 0.50 | 0.52 | 0.30 |
| WID-009-09 | 4/12/4 | ★ ★ ☆ | ★ ★ ★ ★ ★ ☆ | 41% | 57% | 4.2 | 0.53 | 0.55 | 0.30 |
| WID-009-10 | 4/12/4EA | ★ ★ ★ | ★ ★ ★ ★ ★ ★ | 46% | 61% | 3.7 | 0.50 | 0.50 | 0.30 |
| WID-009-11 | 5/12/5 | ★ ★ ☆ | ★ ★ ★ ★ ★ ☆ | 42% | 56% | 4.2 | 0.52 | 0.54 | 0.30 |
| WID-009-12 | 5/12/5EA | ★ ★ ★ | ★ ★ ★ ★ ★ ☆ | 47% | 61% | 3.7 | 0.49 | 0.50 | 0.30 |
| Aluminium Architectural Paragon Bi-Fold Door - Single Glazed | | | | | | | | | |
| WID-008-01 | 5Clr | ★ ☆ | ★ ★ ☆ | 27% | 17% | 6.0 | 0.59 | 0.61 | 0.38 |
| WID-008-02 | 5Gy | ★ ★ ☆ | ★ ★ | 41% | 8% | 6.0 | 0.41 | 0.50 | 0.38 |
| WID-008-03 | 5EG | ★ ★ ☆ | ★ ★ | 39% | 9% | 6.0 | 0.44 | 0.34 | 0.38 |
| WID-008-04 | 6.38CP | ★ ★ ★ ☆ | ★ ★ ★ | 52% | 25% | 4.5 | 0.37 | 0.40 | 0.38 |
| WID-008-13 | 6CS | ★ ★ ☆ | ★ ★ ★ ☆ | 41% | 29% | 4.8 | 0.50 | 0.56 | 0.38 |
| WID-008-14 | 6CS Ntrl | ★ ★ ★ | ★ ★ ★ | 50% | 22% | 4.8 | 0.38 | 0.41 | 0.38 |
| Aluminium Architectural Paragon Bi-Fold Door - Double Glazed | | | | | | | | | |
| WID-008-05 | 4/6/4 | ★ ★ ☆ | ★ ★ ★ ☆ | 42% | 35% | 4.4 | 0.52 | 0.54 | 0.38 |
| WID-008-06 | 4/6/4EA | ★ ★ ★ | ★ ★ ★ ★ | 47% | 37% | 4.0 | 0.48 | 0.49 | 0.38 |

| | | | | | | | | | |
|---|--------------------------|---------|-----------|-----|-----|-----|------|------|------|
| WID-008-07 | 5/6/5 | ★ ★ ☆ | ★ ★ ★ ☆ | 43% | 34% | 4.3 | 0.50 | 0.53 | 0.38 |
| WID-008-08 | 5/6/5EA | ★ ★ ★ | ★ ★ ★ ★ | 47% | 37% | 4.0 | 0.47 | 0.49 | 0.38 |
| WID-008-09 | 4/12/4 | ★ ★ ☆ | ★ ★ ★ ★ | 44% | 37% | 4.2 | 0.50 | 0.52 | 0.38 |
| WID-008-10 | 4/12/4EA | ★ ★ ★ | ★ ★ ★ ★ | 49% | 41% | 3.7 | 0.47 | 0.48 | 0.38 |
| WID-008-11 | 5/12/5 | ★ ★ ★ | ★ ★ ★ ★ | 45% | 36% | 4.1 | 0.49 | 0.51 | 0.38 |
| WID-008-12 | 5/12/5EA | ★ ★ ★ | ★ ★ ★ ★ | 49% | 40% | 3.7 | 0.46 | 0.48 | 0.38 |
| Aluminium Architectural Paragon 2 Lite Sliding Door - Single Glazed | | | | | | | | | |
| WID-010-01 | 5Clr | ★ ☆ | ★ ★ ☆ | 24% | 15% | 6.3 | 0.62 | 0.65 | 0.23 |
| WID-010-02 | 5Gy | ★ ★ ☆ | ★ ☆ | 39% | 6% | 6.3 | 0.43 | 0.53 | 0.23 |
| WID-010-03 | 5EG | ★ ★ | ★ ★ | 37% | 7% | 6.3 | 0.46 | 0.37 | 0.23 |
| WID-010-04 | 6.38CP | ★ ★ ★ ☆ | ★ ★ ★ | 50% | 24% | 4.7 | 0.38 | 0.43 | 0.23 |
| WID-010-13 | 6CS | ★ ★ ☆ | ★ ★ ★ | 38% | 28% | 4.9 | 0.53 | 0.60 | 0.23 |
| WID-010-14 | 6CS Ntrl | ★ ★ ★ | ★ ★ ☆ | 48% | 21% | 5.0 | 0.40 | 0.44 | 0.23 |
| Aluminium Architectural Paragon 2 Lite Sliding Door - Double Glazed | | | | | | | | | |
| WID-010-05 | 4/6/4 | ★ ★ ☆ | ★ ★ ★ ☆ | 39% | 35% | 4.5 | 0.54 | 0.58 | 0.23 |
| WID-010-06 | 4/6/4EA | ★ ★ ☆ | ★ ★ ★ ★ | 44% | 38% | 4.1 | 0.50 | 0.53 | 0.23 |
| WID-010-07 | 5/6/5 | ★ ★ ☆ | ★ ★ ★ ☆ | 40% | 34% | 4.5 | 0.53 | 0.57 | 0.23 |
| WID-010-08 | 5/6/5EA | ★ ★ ★ | ★ ★ ★ ★ | 45% | 37% | 4.1 | 0.50 | 0.53 | 0.23 |
| WID-010-09 | 4/12/4 | ★ ★ ☆ | ★ ★ ★ ★ | 41% | 37% | 4.3 | 0.53 | 0.56 | 0.23 |
| WID-010-10 | 4/12/4EA | ★ ★ ★ | ★ ★ ★ ★ ☆ | 47% | 41% | 3.7 | 0.50 | 0.51 | 0.23 |
| WID-010-11 | 5/12/5 | ★ ★ ☆ | ★ ★ ★ ★ | 42% | 36% | 4.2 | 0.52 | 0.55 | 0.23 |
| WID-010-12 | 5/12/5EA | ★ ★ ★ | ★ ★ ★ ★ | 47% | 41% | 3.7 | 0.49 | 0.51 | 0.23 |
| Aluminium Architectural Paragon 3 Lite Sliding Stacker Door - Single Glazed | | | | | | | | | |
| WID-011-01 | 5Clr | ★ | ★ ★ ☆ | 23% | 15% | 6.3 | 0.63 | 0.65 | 0.39 |
| WID-011-02 | 5Gy | ★ ★ ☆ | ★ ☆ | 38% | 6% | 6.3 | 0.44 | 0.53 | 0.39 |

| | | | | | | | | | |
|---|--------------------------|---------|-------------|-----|-----|-----|------|------|------|
| WID-011-03 | 5EG | ★ ★ | ★ ★ | 36% | 8% | 6.3 | 0.47 | 0.37 | 0.39 |
| WID-011-04 | 6.38CP | ★ ★ ★ | ★ ★ ★ | 50% | 24% | 4.7 | 0.39 | 0.43 | 0.39 |
| WID-011-13 | 6CS | ★ ★ | ★ ★ ★ | 38% | 28% | 5.0 | 0.53 | 0.60 | 0.39 |
| WID-011-14 | 6CS Ntrl | ★ ★ ★ | ★ ★ ☆ | 47% | 21% | 5.0 | 0.40 | 0.44 | 0.39 |
| Aluminium Architectural Paragon 3 Lite Sliding Stacker Door - Double Glazed | | | | | | | | | |
| WID-011-05 | 4/6/4 | ★ ★ ☆ | ★ ★ ★ ☆ | 39% | 35% | 4.5 | 0.54 | 0.58 | 0.39 |
| WID-011-06 | 4/6/4EA | ★ ★ ★ ☆ | ★ ★ ★ ☆ | 53% | 30% | 4.1 | 0.37 | 0.33 | 0.39 |
| WID-011-07 | 5/6/5 | ★ ★ ☆ | ★ ★ ★ ☆ | 40% | 34% | 4.5 | 0.54 | 0.57 | 0.39 |
| WID-011-08 | 5/6/5EA | ★ ★ ☆ | ★ ★ ★ ★ | 44% | 37% | 4.1 | 0.50 | 0.53 | 0.39 |
| WID-011-09 | 4/12/4 | ★ ★ ☆ | ★ ★ ★ ★ | 41% | 37% | 4.3 | 0.54 | 0.56 | 0.39 |
| WID-011-10 | 4/12/4EA | ★ ★ ★ | ★ ★ ★ ★ ☆ | 46% | 42% | 3.7 | 0.50 | 0.51 | 0.39 |
| WID-011-11 | 5/12/5 | ★ ★ ☆ | ★ ★ ★ ★ | 42% | 37% | 4.2 | 0.52 | 0.55 | 0.39 |
| WID-011-12 | 5/12/5EA | ★ ★ ★ | ★ ★ ★ ★ | 47% | 41% | 3.7 | 0.49 | 0.51 | 0.39 |
| Aluminium Awning Window - Single Glazed | | | | | | | | | |
| WID-012-01 | 5Clr | ★ ★ | ★ ★ ★ | 38% | 25% | 6.0 | 0.45 | 0.43 | 5.00 |
| WID-012-02 | 5Gy | ★ ☆ | ★ ★ ★ ☆ | 30% | 30% | 6.0 | 0.56 | 0.60 | 5.00 |
| WID-012-03 | 5SG | ★ ★ | ★ ★ ★ | 37% | 25% | 6.1 | 0.46 | 0.44 | 5.00 |
| WID-012-04 | 4Clr | ★ ★ | ★ ★ ★ | 36% | 24% | 6.2 | 0.47 | 0.34 | 5.00 |
| WID-012-05 | 6ET | ★ | ★ ★ ★ ☆ | 23% | 31% | 6.2 | 0.63 | 0.64 | 5.00 |
| WID-012-06 | 6CSNtl | ★ ★ ☆ | ★ ★ ★ | 39% | 21% | 6.2 | 0.42 | 0.51 | 5.00 |
| WID-012-07 | 638CPClr | ★ | ★ ★ ★ ☆ | 22% | 32% | 6.2 | 0.64 | 0.65 | 5.00 |
| WID-012-08 | 638CPNtl | ★ ☆ | ★ ★ ★ ☆ | 29% | 30% | 6.1 | 0.57 | 0.60 | 5.00 |
| Aluminium Awning Window - Double Glazed | | | | | | | | | |
| WID-013-01 | 4/12/4 | ★ ★ ☆ | ★ ★ ★ ★ ★ ☆ | 40% | 57% | 3.9 | 0.56 | 0.57 | 5.00 |
| WID-013-02 | 4/12/4ET | ★ ★ ★ | ★ ★ ★ ★ ★ ★ | 45% | 62% | 3.4 | 0.53 | 0.54 | 5.00 |

| | | | | | | | | | |
|------------|-----------------------------|-------|-------------|-----|-----|-----|------|------|------|
| WID-013-03 | 6/6/638CPNI | ★ ★ ★ | ★ ★ ★ ★ ★ | 49% | 53% | 3.8 | 0.45 | 0.37 | 5.00 |
| WID-013-04 | 5/6/5 | ★ ★ ☆ | ★ ★ ★ ★ ★ | 41% | 52% | 4.2 | 0.54 | 0.57 | 5.00 |
| WID-013-05 | 5/6/5EI | ★ ★ ★ | ★ ★ ★ ★ ★ ☆ | 45% | 55% | 3.8 | 0.50 | 0.53 | 5.00 |
| WID-013-06 | 4/6/4 | ★ ★ ☆ | ★ ★ ★ ★ ★ | 39% | 53% | 4.2 | 0.56 | 0.57 | 5.00 |
| WID-013-07 | 4/6/4EI | ★ ★ ☆ | ★ ★ ★ ★ ★ ☆ | 43% | 56% | 3.9 | 0.53 | 0.54 | 5.00 |
| WID-013-08 | 6/6/6EI | ★ ★ ★ | ★ ★ ★ ★ ★ ☆ | 49% | 57% | 3.6 | 0.47 | 0.52 | 5.00 |